5 <u>CLAIMS</u>

What is claimed is:

 A method for providing access through a wireless device to a user's computer or network comprising:

receiving a request from the device;

detecting the type of device performing the request;

determining the software being used for access;

determining the network service being used by the wireless

device;

10

establishing a connection between a controller and the user's

15 computer;

interpreting the request from the device; .

sending the request to the user's computer in the appropriate

format;

20

receiving a response from the user's computer;

translating the response into the appropriate format for the

device; and

sending information received from the user's computer to the device in the appropriate format.

The method of claim 1 wherein the information includes data
 and software application resident at the user's computer.

3. A method for providing access through a wireless device to a user's computer comprising:

sending user verification information in response to a log-on request from a wireless device;

authenticating the wireless user to permit access to a

10 controller;

detecting format parameters of the wireless device

sending information to the wireless device from the user's computer in an appropriate format.

- 4. The method of claim 3 further including establishing aconnection between the controller and the user's computer.
 - 5. The method of claim 3 further including storing information for access by the user's wireless device when connection to the user's computer is not established.
- 6. The method of claim 5 further including transmitting
 manipulated information to the user's computer when a connection to the user's computer is established.
 - 7. The method of claim 5 further including storing manipulated information until a connection to the user's computer is established.

8. A method for providing access through a wireless device to a user's computer comprising:

receiving a request from the device;

sending the request to the user's computer in an appropriate format for the users computer;

- sending information received from the user's computer to the device in an appropriate format for the wireless device.
 - 9. The method of claim 8 further including storing data entered through the wireless device when a communication link is unavailable to the user's computer.
 - 10. The method of claim 8 wherein the request receiving further includes detecting information concerning the type of wireless device being used.
 - 11. The method of claim 10 further including using the device detection information to authorize access to the user's computer.
- 12. The method of claim 8 wherein the request receiving further includes receiving requests in any language.
 - 13. The method of claim 8 wherein the request receiving further includes receiving request from wireless devices using any communication protocol.
- 14. The method of claim 8 further including maintaining a secureenvironment for data entry and data collection from the user's computer.

20

5 15. A method for providing access through a wireless device to a user's computer comprising:

receiving a request from the device;

detecting the type of device performing the request;

applying appropriate logic required to transmit the request to

the user's computer; and

sending information received from the user's computer to the device in a format appropriate to the wireless device.

- 16. The method of claim 15 further including applying appropriate logic to the information received from the user's computer for further communication to the wireless device.
- 17. The method of claim 15 further including encrypting transmissions between the wireless device and the user's computer.
- 18. The method of claim 15 further including notifying a user when access to the user's computer is attempted.
- 19. The method of claim 15 further including recording time and date information of access attempt to the user's computer.
 - 20. The method of claim 15 wherein the application of logic further includes using plug-ins.

15

20

- The method of claim 20 wherein the plug-ins are specific to the type of application which access is desired from the user's computer by the wireless device.
 - 22. A computerized system for providing access through a wireless device to a user's computer, comprising:

a memory device; and

a processor disposed in communication with the memory device, the processor configured to: send user verification information in response to a log-on request from a wireless device, authenticate the wireless device to permit access to a controller, detect format parameters of the wireless device, and send information to the wireless device from the user's computer in an appropriate format.

23. A computerized system for providing access through a wireless device to a user's computer, comprising:

a memory device; and

a processor disposed in communication with the memory device, the processor configured to

receive a request from the device;

send the request to the user's computer in an appropriate format for the users computer;

send information received from the user's computer to the device in an appropriate format for the wireless device.

5 24. A computerized system for providing access through a wireless device to a user's computer, comprising:

a memory device; and

a processor disposed in communication with the memory device, the processor configured to:

receive a request from the device;

detect the type of device performing the request;

apply appropriate logic required to transmit the request to the user's computer; and

send information received from the user's computer to the device in a format appropriate to the wireless device.

25. A computerized system for providing access through a wireless device to a user's computer, comprising:

means for sending user verification information in response to a log-on request from a wireless device,

20 means for authenticating the wireless device to permit access to a controller,

means for detecting format parameters of the wireless device, and

means for sending information to the wireless device from the
user's computer in an appropriate format.

26. A computerized system for providing access through a wireless device to a user's computer, comprising:

5 means for receiving a request from the device;

means for sending the request to the user's computer in an appropriate format for the users computer; and

means for sending information received from the user's computer to the device in an appropriate format for the wireless device.

27. A computerized system for providing access through a wireless device to a user's computer, comprising:

means for receiving a request from the device;

means for detecting the type of device performing the

request;

10

15

means for applying appropriate logic required to transmit the request to the user's computer; and

means for sending information received from the user's computer to the device in a format appropriate to the wireless device.

28. A computer readable medium comprising:

20 code for receiving a request from the device;

code for sending the request to the user's computer in an appropriate format for the users computer; and

code for sending information received from the user's computer to the device in an appropriate format for the wireless device.

10

15

- 29. The computer readable medium of claim 28 further including code for applying appropriate logic required to transmit the request to the user's computer.
- 30. The computer readable medium of claim 28 further including code for maintaining secure communication between the wireless device and the user's computer.
 - 31. A method of using a wireless device to access a user's computer comprising:

sending a request from the device;

using software to gain access;

receiving verification of a connection between a controller and the user's computer;

sending the request to the user's computer in the appropriate format; and

receiving a response from the user's computer.

- 32. The method of claim 31 further including receiving information concerning data and at least one software application resident at the user's computer.
 - 33. A method of using a wireless device to access a remote user's computer comprising:
- receiving user verification information in response to a log-on request from the wireless device;

sending authentication information to permit access to a controller; and

receiving information at the wireless device from the remote user's computer in an appropriate format that is readable to the wireless device.

- 34. The method of claim 33 further including receiving verification that a connection is established between the controller and the user's computer.
 - 35. The method of claim 33 further including using stored information from the remote user's computer resident at the controller when connection to the user's computer is not established.
- 36. The method of claim 35 further including sending a request to store manipulated information until a connection to the user's computer is established.
 - 37. A method of using a wireless device to access a remote user's computer comprising:

sending a request from the device for connection to a controller;

sending a request to the remote user's computer which is translated in an appropriate format by the controller;

receiving information from the remote user's computer to the device in an appropriate format readable to the wireless device.

- 5 38. The method of claim 37 further including executing commands from the wireless device from software resident at the remote user's computer.
- 39. The method of claim 37 wherein the receiving information
 further includes data and at least one software application resident at the remote
 user's computer.
 - 40. The method of claim 39 further including manipulating the data on the wireless device.
 - 41. The method of claim 40 wherein the manipulated data is sent back to the user's computer for storage.
- 15 42. The method of claim 37 wherein the requests sending further includes sending requests from wireless devices using any communication protocol.
- 43. The method of claim 37 further including sending to the user's computer and receiving data from the user's computer in a secure
 20 environment.
 - 44. A method of using a wireless device to access a remote user's computer comprising:

sending a request from the device; and receiving information from the remote user's computer to the

25 wireless device in a format appropriate to the wireless device.

- 5 45. The method of claim 44 further including contacting the user's computer from more than one wireless device.
 - 46. The method of claim 44 further including sending encrypted transmissions between the wireless device and the user's computer.
- 47. The method of claim 44 further including receiving notification when access to the user's computer is attempted.
 - 48. The method of claim 44 further including receiving time and date information of access attempt to the user's computer.
 - 49. The method of claim 44 further including using plug-ins to communicate with the user's computer.
 - 50. The method of claim 49 wherein the plug-ins are specific to the type of application which access is desired from the user's computer by the wireless device.
 - 51. A computerized system for using a wireless device to access a user's computer comprising:

20 a memory device; and

a processor disposed in communication with the memory device, the processor configured to:

receive user verification information in response to a log-on request from a wireless device, send authentication information to permit access

- to a controller, and receive information from the user's computer in an appropriate format readable to the wireless device.
 - 52. A computerized system using a wireless device to access a user's computer comprising:

a memory device; and

a processor disposed in communication with the memory device, the processor configured to

send a request to the user's computer in an appropriate format for the users computer;

receive information from the user's computer in an appropriate format for the wireless device.

53. A computerized system using a wireless device to access a user's computer comprising:

a memory device; and

a processor disposed in communication with the memory

20 device, the processor configured to:

send a request from the device;

receive information from the user's computer in a format appropriate to the wireless device; and

transmit data for storage on the user's computer.

25 54. A computerized system using a wireless device to access a user's computer comprising:

5 means for receiving user verification information in response to a log-on request from a wireless device,

means for sending authentication information from the wireless device to permit access to a controller, and

means for receiving information from the user's computer in an appropriate format.

55. A computerized system using a wireless device to access a user's computer comprising:

means for sending a request from the device; and

means for receiving information from the user's computer to
the device in an appropriate format for the wireless device.

56. A computerized system using a wireless device to access a user's computer comprising:

means for sending a request from the device;

means for receiving information from the user's computer to

20 the device in a format appropriate to the wireless device; and

means for storing user manipulated information on the user's computer through the wireless device.

- 57. A computer readable medium for using a wireless device to access a user's computer comprising:
- code for sending a request from the device; and

- 5 code for receiving information from the user's computer in an appropriate format for the wireless device.
 - 58. The computer readable medium of claim 57 further including code for storing user manipulated information on the user's computer through the wireless device.
- 10 59. The computer readable medium of claim 57 further including code for maintaining secure communication between the wireless device and the user's computer.
 - 60. A computer readable medium for using a wireless device to access a remote user's computer comprising:

code for sending a request from the device;

code for executing software commands resident at the

remote user's computer; and

code for receiving information from the user's computer in an appropriate format for the wireless device.